



Remove Watermark Now



PROJECT BOOK

-POCKET EDITION-

MOTION IN ARCHITECTURE



LIBART



Libart designs and fabricates operable architectural systems for discerning architects and professional clients from around the world. Libart's aluminum and glass retractable structures are innovative, functional and aesthetically attractive. They are used in restaurants, cafes, hotels, commercial and residential pools, patios, and industrial facilities. Our commitment to research, design, engineering and manufacturing is based on providing our clients with value-added retractable structures that offer flexible living and working environments, whatever the weather.

Libart has been serving the architectural industry with operable solutions for over 25 years, with manufacturing centres located in 3 continents and dealers in more than 40+ countries.

www.libart.com


WE PROVIDE SOLUTIONS FOR



RESTAURANT & CAFE




HOTEL & COMMERCIAL



RESIDENTIAL



INDUSTRIAL




R1 Retraction
Largest modules at the ends




R2 Retraction
Largest modules in the middle
(recommended solution)




R3 Retraction
Single side retraction
end wall retracting up




R1 Retraction
Largest modules at the ends




R2 Retraction
Largest modules in the middle
(recommended solution)



R3 Retraction
Single side retraction
end wall retracting up






R1 Retraction
Largest modules at the ends




R2 Retraction
Largest modules in the middle
(recommended solution)




R3 Retraction
Single side retraction
end wall retracting up




R1 Retraction
Largest modules at the ends





R2 Retraction
Largest modules in the middle
(recommended solution)




R3 Retraction
Single side retraction
end wall retracting up









Retraction Up Opening




Retraction Down (available only in 66% opening)




66% Retraction
Opening up



66% Retraction
Opening Down



75% Retraction
Opening up



Max Width : 6m (19')
Max Length : 28m (91')
1 Frame System

Closed Postion



50 %Opening
Optiontion




80 %Opening
Optiontion




Remove Watermark Now

Window Systems



Top to ground stacking
Internal Glass Balustrade
Max Width: 5,5 m (18')
Max Height: 5,5 m (18')
Automatic Retraction
Insulated Glass (up to 32mm)


Door Systems




Ground to top stacking
Fotocell Security System
Max Width: 5,5 m (18')
Max Height: 5,5 m (18')
Automatic Retraction
Insulated Glass (up to 32mm)

WINDOWS & DOORS

Balcony system




Manual retraction
Max Width: 1,5m (4')
Max Height: 3m (9')
Single Glass Options
Hand rail at 185m (from ground)
Fixed to ground and ceiling




Remove Watermark Now

Windbreak System



Anchored to ground
Manual retraction
Max Width: 1,5m (4')
Max Height: 1,85m (6')
Single Glass Options



Portable - no Anchoring
Manual retraction
Max Width: 1,5m (4')
Max Height: 1,85m (6')
Single Glass Options

The Evolution FreeStanding systems are ideal for restaurants, cafés, smaller convention centres, function halls and swimming pools. The high vertical side walls and sectional modular transparent design, provide a feeling of spaciousness that can be easily integrated into architectural designs.

Evolution Freestanding retractable structures are designed to be easily opened and closed, giving you the flexibility of an indoor or outdoor living experience in the same area. Operation can be manual or motorized, utilizing SecurTrak™ system for structural safety and ease of use.

Evolution FreeStanding systems are environmentally friendly. Insulated glass glazing, and the ease of fully or partially opening, give you control of your own micro-climate, harnessing natural energy. Optional photovoltaic solar cells can supply power for motorization, ambient lighting needs and ventilation, removing the need for connection to mains electrical supplies.


Evolution Freestanding structures can be customized according to site and user-needs based on 7 main models.



LIBART

MOTION IN ARCHITECTURE

FreeStanding



R1 Retraction
Largest modules at the ends



R2 Retraction
Largest modules in the middle
(recommended solution)



R3 Retraction
Single side retraction
end wall retracting up





Remove Watermark Now



Project Number
#4921



FREESTANDING / EF

Project Name **Babylon Kilyos**

Location **Kilyos / Istanbul / Turkey**

Size (WxLxH) **7.2m x 8m x 3.4m (23' x 26' x 11')**

Glazing **6mm T. Tentesol Blue + 14mm + (4 + 4)mm IG**



LIBART

MOTION IN ARCHITECTURE

FreeStanding / EF

15



Remove Watermark Now



Project Number
#4320



FREESTANDING / EF

Project Name **Adı Bahçe Restaurant**

Location **Sakarya / Turkey**

Size (WxLxH) **9.1m x 17m (29' x 55')**

Glazing **16mm SC PC & 5mm Tempered Glass**



MOTION IN ARCHITECTURE

FreeStanding / EF

17



Project Number
#1285



Project Name **Ege Suits Apartments**

Location **Bornova / Izmir / Turkey**

Size (W x L x H) **15m x 40m (49' x 131')**

Glazing **16mm SC Grey PC & 4mm SC Clear PC (Translucent)**



LIBART

MOTION IN ARCHITECTURE

FreeStanding / E7

19



Project Number
#3847



Project Name **Skins**

Location **Havelock / New Zealand**

Size (W x H) **7.1m x 12.8m (23' x 41')**

Glazing **4mm transparent pc glazing**



LIBART

MOTION IN ARCHITECTURE

FreeStanding / DF

21



Project Number
#4655



Project Name The J. Parker - Chicago Lincoln Hotel

Location Chicago / IL / USA

Size (WxLxH) 10.7m x 13.7m x 5.2m (35' x 44' x 17')

Glazing 16mm SC PC & 6mm + 10mm + (4+4)mm IG



LIBART

MOTION IN ARCHITECTURE

FreeStanding / DF

23



Project Number
#4618



Project Name **Ooltewah Swim Club**
 Location **Chattanooga / TN / USA**
 Size (W x L x H) **21.4m x 33.5m (70' x 110')**
 Glazing **16mm Triple Wall SC PC**




LIBART

MOTION IN ARCHITECTURE

FreeStanding / V7

25



Project Number
#4601



Project Name **Oncu Wedding Hall**

Location **Konya / Turkey**

Size (W x L x H) **20m x 43m (65' x 141')**

Glazing **16mm SC PC & 5mm Tempered Glass**



LIBART

MOTION IN ARCHITECTURE

FreeStanding / V7

27



Project Number
#4612



Project Name **Union Restaurant**

Location **Minneapolis / MN / USA**

Size (W x L x H) **10m x 22m x 6.7m (30' x 70' x 22')**

Glazing **6mm T. Reflective Glass + 10mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

FreeStanding / V7

29

Evolution LeanTo retractable structures are designed to provide an existing building or structure, providing the flexibility of areas for indoor and outdoor living, all in the same space. Adding the flexibility of an indoor or outdoor living experience in the same area. The operation can be manual or motorized, utilizing SecurTrak™ rail or TeleGlide™ rail free system for ease of use.

Evolution LeanTo systems are suitable for restaurants, cafés, smaller convention centers, function halls, residential patio and pools. The systems are manufactured site specifically and according to user needs from 3 base models. There are extensive door and window options to provide access and ventilation without opening the system. Evolution LeanTo systems are as environmentally friendly as Evolution FreeStanding structures with their high insulation and sustainability features.



LIBART

MOTION IN ARCHITECTURE

LeanTo



Max Width : 7m (22')
2 Frame System




Max Width: 8m (26')
3 Frame System




Max Width: 9m (29')
4 Frame System


R1 Retraction
Largest modules at the ends



R2 Retraction
Largest modules in the middle (recommended solution)



R3 Retraction
Single side retraction end wall retracting up





Project Number
#3588



Project Name **Dark Hill Hotel Restaurant**

Location **Laleli / Istanbul / Turkey**

Size (W x L x H) **6.2m x 22m (19' x 72') / 2 Units**

Glazing **6mm T. Sunenergy + 12mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

LeanTo / EL

33



Project Number
#1420



Project Name **California Pool**

Location **Palo Alto / CA / USA**

Size (W x L x H) **7.7m x 17.0m (25' x 56')**

Glazing **16mm SC PC & 5mm Tempered Glass**



LIBART

MOTION IN ARCHITECTURE

LeanTo / EL

35



Project Number
#6006



Project Name **Godfrey Hotel**
 Location **Chicago / IL / USA**
 Size (W x L x H) **6m x 24m (19' x 78')**
 Glazing **6mm+ 10mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

LeanTo / EL

37



Project Number
#2762



Project Name **Sabancı University Hangar Cafe**

Location **Sarıyer / İstanbul / Turkey**

Size (W x L x H) **6.6m x 16.3m (21' x 53')**

Glazing **16mm PC & 5mm + 12mm + 5mm IG**



LIBART

MOTION IN ARCHITECTURE

LeanTo / EL

39



Project Number
#3166



Project Name **Mapel Beach Hotel**

Location **South Korea**

Size (W x L x H) **7m x 28m (22' x 91')**

Glazing **6mm T. Sunenergy + 12mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

LeanTo / DL

41



Project Number
#4721



Project Name **Denver Pool**

Location **Denver / Colorado / USA**

Size (W x L x H) **7.6m x 30.6m (25' x 100')**

Glazing **10mm Clear Twin Wall + 4mm Compact PC**



LIBART

MOTION IN ARCHITECTURE

LeanTo / DL

43

ClearSky, retractable skylights are designed for roof openings. Operation is usually motorised, however manual operation is also available. This model utilises the SecurTrak rail system for structural safety, and ease of operation. ClearSky retractable skylights mean that indoor spaces can now be opened up to the wide blue sky above.

ClearSky systems are ideal for commercial spaces that need a roof that can retract, creating a large opening. ClearSky systems are integrated into the existing fabric of the building. The rails are installed to the top of the roof area, and the system is designed to handle high snow loads.


ClearSky retractable systems are environmentally friendly systems utilizing 24VDC to 380 VAC motors and extensive operating options as required by client needs.



LIBART

MOTION IN ARCHITECTURE

ClearSky



R1 Retraction
Largest modules at the ends



R2 Retraction
Largest modules in the middle (recommended solution)



R3 Retraction
Single side retraction end wall retracting up



Remove Watermark Now



Remove Watermark Now

ClearSky Skylight



Project Number
#4707



Project Name **Titanic Hotel**

Location **Antalya / Turkey**

Size (W x L x H) **6.4m x 20.8m (21' x 66') / 12 units**

Glazing **6mm T. Sunenergy + 12mm + (5+5)mm Clear IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / EFB

47



Remove Watermark Now

ClearSky Skylight



Project Number
#4686



Project Name **Fremont**

Location **Chicago / IL / USA**

Size (W x L x H) **10.9m x 9.4m (36' x 31')**

Glazing **6mm T. + 10mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / E7B

49



Remove Watermark Now

ClearSky Skylight



Project Number
#5136



Project Name Mercedes Factory
Location Cekmekoy / Istanbul / Turkey
Size (W x L x H) 5.8m x 15m (19' x 49') / 2 Units
Glazing 16mm Multi-Wall SC PC



LIBART

MOTION IN ARCHITECTURE

ClearSky / EFB

51



Remove Watermark Now

ClearSky Skylight



Project Number
#2572



Project Name **The Smith**

Location **Victoria / Australia**

Size (W x L x H) **18m x 5,5m (59' x 18')**

Glazing **6mm T. Tentesol Grey + 16 + (5+5)mm clear IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / EFB

53



Remove Watermark Now

ClearSky Skylight

Project Number
#4481



Project Name **M Gallery Accor Hotel**

Location **Istanbul / Turkey**

Size (W x L x H) **19m x 5,5m (62' x 18')**

Glazing **6mm T. Solar LowE + 14 + (4+4)mm clear IG**




LIBART

MOTION IN ARCHITECTURE

ClearSky / EFB

55



Remove Watermark Now

ClearSky Skylight

Project Number
#5647



Project Name Yenitepe

Location Istanbul / Turkey

Size (W x H) 27 m x 7,5 m (88' x 24')

Glazing 6mm Solar Low-e T. + 14 + 44.2



LIBART

MOTION IN ARCHITECTURE

ClearSky / E7B

57



Remove Watermark Now

ClearSky Sky/light

Project Number
#4417



Project Name **Mugam Hotel**

Location **Baku / Azerbaijan**

Size (W x L x H) **13.4m x 16.3m (43' x 53')**

Glazing **6mm + 12mm +(4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / DFB

59



Remove Watermark Now

ClearSky Skylight



Project Number
#6107



Project Name **CVK Hotel Park Bosphorus**
Location **Beyoglu / Istanbul / Turkey**
Size (W x L x H) **10m x 22m (32' x 72')**
Glazing **6mm T. + 12mm + (4+4)mm SC Reflective Glass**



LIBART

MOTION IN ARCHITECTURE

ClearSky / D7B



Remove Watermark Now

ClearSky Skylight



Project Number
#1184



Project Name **Sienna Mercato**
Location **Pittsburgh / PA / USA**
Size (W x L x H) **12m x 21m (40' x 70')**
Glazing **6mm + 10 + (4+4) IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / V7B

63



Project Number
#1827



Project Name **MetroMall Shopping Center**

Location **Ankara / Turkey**

Size (W x L x H) **9m x 92m (29' x 301') / 2 units**

Glazing **6mm T. + 12mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / D7B



ClearSky Dome retractable systems are designed for large-span opening skylights. Operation is motorised, using a K-Trak rail system for structural safety.

The core design of the ClearSky Dome system is similar to the ClearSky system, with the difference being the location of the rail system which is installed vertically to the sides of the opening rather than on the roof or a horizontal surface. The ClearSky – Dome system increases the net opening by reducing the horizontal surface area on the structural members that is required for the operational rails.

The ClearSky – Dome system also provides a lower total height when compared to classic ClearSky systems and are better suited for climates with low to no snow accumulation.

With ClearSky - Dome retractable skylights, your enclosed spaces are no longer limited to being indoor spaces only. The system provides high natural light, making them particularly suitable for shopping malls. There are 5 different configurations depending on the size of the span and local loads.



LIBART

MOTION IN ARCHITECTURE

ClearSky Segmented Dome



Max Width : 6m (19')
2 Frame System



Max Width : 12m (39')
4 Frame System



Max Width : 20m (66')
6 Frame System




Max Width : 24m (78')
8 Frame System



Max Width : 27m (88')
10 Frame System

R1 Retraction
Largest modules at the ends



R2 Retraction
Largest modules in the middle (recommended solution)



R3 Retraction
Single side retraction end wall retracting up



Remove Watermark Now



Remove Watermark Now

ClearSky Skylight

pdfelement

Project Number
#6686



Project Name **Point Bornova Shopping Mall**

Location **Bornova / Izmir / Turkey**

Size (W x L x H) **10m x 21m (32' x 68') / 22 Units (5500 m²)**

Glazing **8mm T + 16 + (4+4) Laminated IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / DK

69



Remove Watermark Now

ClearSky Skylight

Indefelement

Project Number
#5052



Project Name **Endulus Park Shopping Center**
Location **Bursa / Turkey**
Size (W x L x H) **10m x 9m (32' x 29') / 10 systems**
Glazing **6mm T + 12 + (4+4) Laminated IG**



MOTION IN ARCHITECTURE

ClearSky / DK



Remove Watermark Now

ClearSky Skylight

Project Number
#1284



Project Name **Water Garden Shopping Mall**

Location **Istanbul / Turkey**

Size (W x L x H) **8m x 65m (26' x 213')**

Glazing **12mmT Printed Laminated Glass**



LIBART

MOTION IN ARCHITECTURE

ClearSky / DK

73



Remove Watermark Now

ClearSky Skylight



Project Number
#3941



Project Name Masjid Ash Shaliheen Mosque

Location Brunei

Size (W x L x H) 15m X 10m (49' x 32')

Glazing (6+6)mm Tempered & Laminated Reflective Glass

 **LIBART**

MOTION IN ARCHITECTURE

ClearSky / VK

75



Remove Watermark Now

ClearSky Skylight

pdf element

Project Number
#4699



Project Name **Antorman Apartments**
Location **Cekmekoy / Istanbul / Turkey**
Size (W x L x H) **20m x 38m (65' x 124')**
Glazing **16m Multi-Wall SC PC**



MOTION IN ARCHITECTURE

ClearSky / VK

77



Remove Watermark Now

ClearSky Skylight

Project Number
#5042



Project Name **Tarek Ibn Ziad School**

Location **Doha / Qatar**

Size (W x L x H) **27m X 36m (88' x 118')**

Glazing **8 mm R Tempered +16+ (4+4) laminated IG**



LIBART

MOTION IN ARCHITECTURE

ClearSky / RK


79

Libart's SolaGlide systems provide profitable outdoor spaces that can be used all year round, whatever the weather. Thermally-broken mullions, insulated glass panels, and structurally bonded frames with extensive weather sealant components assure you safety and comfort.

The hidden drive and automatic tensioning systems built into the main mullions provide protection from the environment and conceal unsightly chains, cables, motor and similar drive components. Thermoplastic polyester coggled belt with steel reinforced cords are resistant to moisture, oils, UV, and extreme temperature changes, guarantees maintenance-free operation.


LIBART


MOTION IN ARCHITECTURE





Remove Watermark Now

Project Number
#4047



SOLA GLIDE / RRG

Project Name **Palladium Polenez Grill**

Location **Atasehir / Istanbul / Turkey**

Size (W x L x H) **27m x 22m (88' x 72')**

Glazing **6mm Coolplus Tempered + 14mm + (4+4)mm IG**



LIBART


MOTION IN ARCHITECTURE

SolaGlide / RRG

83



Project Number
#4647



SOLAGLIDE / RRG

Project Name **Thales Bar Kadikoy**
Location **Kadikoy / Istanbul / Turkey**

Size (W x L x H) **15.5m x 8.5m (50' x 27')**

Glazing **6mm T. Glass + 10mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

SolaGlide / RRG


85



Remove Watermark Now



Project Number
#4528



SOLAGLIDE / RRG

Project Name **Chilai Restaurant**

Location **Bebek / Istanbul / Turkey**

Size (W x L x H) **10.4m x 6.6m (34' x 21')**

Glazing **6mm T. Glass+ 10mm +(4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

SolaGlide / RRG

87



Remove Watermark Now



Project Number
#4810



SOLA GLIDE / RRG

Project Name **Grand Altuntas Hotel**

Location **Aksaray / Turkey**

Size (W x L x H) **20m x 29.6m (65' x 97')**

Glazing **6mm + 12mm + (4+4)mm IG**



LIBART

MOTION IN ARCHITECTURE

SolaGlide / RRG

89

SolaGlide - SunRoof



Remove Watermark Now

Project Number
#5934



SOLA GLIDE / RRG

Project Name **VIP Room**

Location **Istanbul / Turkey**

Size (W x L x H) **7m x 3m (22' x 9')**

Glazing **6mm + 14mm + (4+4)mm IG**



LIBART


MOTION IN ARCHITECTURE

SolaGlide / RRG

91



Project Number
#1477



SOLA GLIDE / RRG

Project Name **Bristol Hotel**

Location **Amman / Jordan**

Size (W x L x H) **23m x 11m / 25m x 11m / 3m x 10m**

Glazing **6mm + 12mm + (4+4)mm IG**



LIBART


MOTION IN ARCHITECTURE

SolaGlide / RRG

93



Project Number
#4587



SOLAGLIDE / RRP

Project Name **Legal Sea Food**

Location **Boston / MA / USA**

Size (W x L x H) **18m x 9.4m (59' x 31')**

Glazing **16mm Solar Control PC Glazing**



LIBART

MOTION IN ARCHITECTURE


SolaGlide / RRG

95



Remove Watermark Now

Project Number
#1235



SOLA GLIDE / RRG

Project Name **Fox and Pheasant**

Location **London / United Kingdom**

Size (W x H) **8 m x 7.4 m (26' x 24')**

Glazing **6mm Solar Low-E + 16 + 55.2 (acoustic pvb)**



LIBART

MOTION IN ARCHITECTURE

SolaGlide / RRG

97

Libart's SunRoof Systems are a unique outdoor roofing solution. SunRoof retracts between two walls or structures. It is a parallel system with internal pitch directing rainwater to the concealed gutter. SunRoof can incorporate insulated glass to provide thermal insulation, with retraction to the sides providing up to 75% opening. SunRoof systems retract the complete profiles and glazing, to provide an open space with no roofing elements: No profiles, no glazing, just the wide, open sky!

The sky's the limit with SunRoof systems! Make your outdoor area the space of choice, even when the weather turns rainy: With the touch of a button the roof can be closed and protected from the elements.

The concealed motor and gutter systems provide aesthetic integrity, meaning that design considerations of the internal space need not be compromised.

*The SunRoof system is recommended in light snow areas.



LIBART

MOTION IN ARCHITECTURE

SunRoof



Remove Watermark Now



SolaGlide - SunRoof

For centuries technological advances have improved the function, flexibility and variety of doors and windows. Despite this continual evolution, they have always been limited to their primary function of providing unhindered views, and allowing use of the available openings in buildings.

Libart's Panora-View represents a new paradigm in the world of architectural doors and windows: Panora-View's large spans and vertically retracting frames (up to 5,5m) provide unobstructed views and optimise the versatility of every opening in your buildings.


Put simply, they "broaden your horizons!" Imagine a wall of glass that practically disappears, providing the functionality of a door or window by sliding upwards or downwards, and taking up no space in its operation.



LIBART

MOTION IN ARCHITECTURE


Window Systems



Top to ground stacking
Internal Glass Balustrade
Max Width: 5,5 m (18')
Max Height: 5,5 m (18')
Automatic Retraction
Insulated Glass (up to 32mm)

Remove Watermark Now

Door Systems



Ground to top stacking
Fotocell Security System
Max Width: 5,5 m (18')
Max Height: 5,5 m (18')
Automatic Retraction
Insulated Glass (up to 32mm)



Remove Watermark Now

Project Number
#3589



PANORA - VIEW / GU-W3

Project Name **Dark Hill Hotel**

Location **Laleli / Istanbul / Turkey**

Size (W x H) **4.5m x 3.1m (14' x 10') / 10 Units**

Glazing **6mm T. Sunenergy + 6mm T. Clear Laminated Glass**



LIBART

MOTION IN ARCHITECTURE

Panora - View / GU-W3

103



Remove Watermark Now

Project Number
#4833



PANORA - VIEW / GU-W3

Project Name Carolina Ale House Restaurant

Location Raleigh / NC / USA

Size (W x H) 3.8m x 2.7m (12' x 8') / 14 Units

Glazing 6mm T. Sunenergy + 6mm T. Clear Laminated Glass



LIBART

MOTION IN ARCHITECTURE

Panora - View / GU-W3

105



Project Number
#4126



PANORA - VIEW / GU-W2

Project Name Vallgatan Coffee Shop

Location Sweden

Size (W x H) 4,3 x 2,8 m (14' x 9')

Glazing 8mm Tempered + 16 + 8mm Tempered



LIBART

MOTION IN ARCHITECTURE

Panora - View / GU-W2

107



Remove Watermark Now



Project Number
#2101



PANORA - VIEW / GU-D4

Project Name **Cooper's Hawk Winery**
Location **Liberty Twp. /OH /USA**
Size (W x H) **4,2 x 3,6 m (13' x 11') / 2 Units**
Glazing **8mm Tempered + 16 + 8mm Tempered**



LIBART

MOTION IN ARCHITECTURE

Panora - View / GU-D4

109



Remove Watermark Now

Project Number
#3487



PANORA - VIEW / GU-D4

Project Name **Brasserie Lipp**

Location **Sweden**

Size (W x H) **3 x 2,9 m (9' x 9') / 2 Units**

Glazing **8mm Tempered + 16 + 8mm Tempered**



LIBART

MOTION IN ARCHITECTURE

Panora - View / GU-D4

111



Remove Watermark Now



Project Number
#6623



PANORA - VIEW / GU-D4

Project Name **Steam Hotel**

Location **Sweden**

Size (W x H) **3 x 2,9 m (9' x 9') / 2 Units**

Glazing **8mm Tempered + 16 + 8mm Tempered**



LIBART

MOTION IN ARCHITECTURE

Panora - View / GU-D4

113

The Kinetic windbreak system is a vertically retracting balustrade that is suitable for outdoor applications. The single-glazed tempered glass panes function as both balcony balustrade and windbreak system without any profile sections in the middle. Kinetic systems provide all the benefits of a glass railing, with the convenience of an additional wind and rain shield when required. Kinetic systems utilise a concealed self-charging piston system that eliminates the unsightly counterweights, thick profiles, cables, and pulleys that are used by other inferior systems. Kinetic opens manually and closes automatically with a simple touch.

Versatility and design come together with Panora-Kinetic Systems. Uninterrupted panoramic views are guaranteed, with no compromise necessary! Portable (KU-FB) or ground-fixed (KU-FC) glass windbreak can complement architectural features, with adjustable height and a sense of distinction. Kinetic Systems (FC and FB) are manufactured from structural glass for reliable durability. One of the major benefits of the Kinetic system is the lack of horizontal profiles. This removes unsightly visual clutter, creating an unobstructed view that benefits business owners and patrons alike.




LIBART


MOTION IN ARCHITECTURE

Panora - Kinetic


Balcony system




Manual retraction
Max Width: 1,6m (5')
Max Height: 3m (9')
Single Glass Options
Handle at 185m (from ground)
Fixed to ground and ceiling



Windbreak System




Anchored to ground
Manual retraction
Max Width: 1,6m (5')
Max Height: 1,85m (6')
Single Glass Options



Portable - no Anchoring required
Manual retraction
Max Width: 1,6m (5')
Max Height: 1,85m (6')
Single Glass Options

Remove Watermark Now



Project Number
#2196



PANORA - KINETIC / KU-GB

Project Name **Iron Shore**

Location **Cayman Islands**

Size (W x H) **1.5m x 2.10m (4' x 6') / 6 Units**

Glazing **6mm Tempered Glass**



LIBART

MOTION IN ARCHITECTURE

Panora - Kinetic / KU-G/GB/GF

117



Remove Watermark Now

element



Project Number
#3869

▼
x x
PANORA - KINETIC / KU-FC

Project Name Mono Cafe

Location Istanbul / Turkey

Size (W x H) 1.5m x 1.85m (4' x 6') / 12 Units

Glazing 6mm Tempered Glass



LIBART

MOTION IN ARCHITECTURE

Panora - Kinetic / KU-FC

119



Remove Watermark Now

Project Number
#3564

▼
x x
PANORA - KINETIC / KU-FC

Project Name **M Gallery Accor Hotel**

Location **Istanbul / Turkey**

Size (w x h) **1.5m x 1.85m (4' x 6') / 47 Units**

Glazing **6mm Tempered Glass**



LIBART

MOTION IN ARCHITECTURE

Panora - Kinetic / KU-FC

121



Remove Watermark Now



Project Number
#1347



Project Name **Rönesans Shopping Mall**

Location **Istanbul / Turkey**

Size (W x H) **1.5m x 1.85m / 200 Units**

Glazing **6mm Tempered Glass**



LIBART

MOTION IN ARCHITECTURE

Panora - Kinetic / KU-FB

123



LIBART

MOTION IN ARCHITECTURE

Remove Watermark Now

To learn more about our systems and projects from around the world please visit us at www.libart.com



www.libart.com

libartsales@libart.com