



COMMERCIAL DOOR SERIES

COMMERCIAL DOOR GENERAL SPECIFICATIONS

Slat option:	55mm, 60mm, 77mm, 100mm, Transparent, Roller Grill
Rail option:	65mm, 80mm, 100mm
Motor option:	Tubler motor or outside motor
Main colors:	White

More color can be provided upon special request:



Contact Us

Plot # 14 - Sector 23, Korangi Industrial Area, Karachi, P.O. 74900 Pakistan
Tel: (+92 21)-35121277-35121278 Email: info@metaleditions.com

Metal Editions

Metal Editions (Pvt) Ltd.

Automated Entrance Solutions - Complete Docking System



Metal Editions

Each type of Roll up doors offered by Metal Editions provides a high level of security against burglars and vandalism.

Common modes for commercial door.

1-Manual mode (raising up and down the door by hand or using manual crank system) Spring loaded for easy lifting. A security center lock is positioned on bottom rail.

2-Motorised: with high security key switch or remote control.

Different styles and well designed commercial doors are used in many different shops. Perforated vision of commercial doors is widely used for protection with stylish appearance.

A full range is available: Galvanised steel slat with polyurethane infill, Aluminium slat with polyurethane infill, Polycarbonate slats, and roller grill slats.



Contact Us

Plot # 14 - Sector 23, Korangi Industrial Area, Karachi, P.O. 74900 Pakistan
Tel: (+92 21)-35121277-35121278 Email: info@metaleditions.com

Metal Editions



OUTDOOR MOTORISED ROOF SUNSHADE

The Sunshades are used and adopted in newly designed and renovation of buildings for better energy savings and further to control internal temperature of buildings.

The Commercial, Industrial and Residential usage with motorised system brings you easy life with more energy savings. However all the types of Motorised Sunshades offered by **Metal Editions** are provided with encapsulated cables to operate the Outdoor curtain in case of Power outage.

Metal Editions (Pvt) Ltd.

Automated Entrance Solutions - Complete Docking System



Contact Us

Plot # 14 - Sector 23, Korangi Industrial Area, Karachi, P.O. 74900 Pakistan

Tel: (+92 21)-35121277-35121278 Email: info@metaleditions.com

Metal Editions



Motorised Roof Sunshade

Shade Ideas

Popular and Practical ideas



Be creative and design your own structure

When an object reaches maturity it becomes more beautiful. The motorised roof sunshade Designs are the result of continuous development and detailed consideration.

With coloured side caps the elegant design looks harmonious. The state of the art mechanism is highly appealing and can be installed almost at every location.



Contact Us

Plot # 14 - Sector 23, Korangi Industrial Area, Karachi, P.O. 74900 Pakistan
Tel: (+92 21)-35121277-35121278 Email: info@metaleditions.com

Metal Editions



MOTORISED ROOF SUNSHADE SERIES

FTS SYSTEM

Double motor tension system

Maximum width for single breadth: 2.5m

Maximum extension length for single
breadth: 12m

Maximum size: 50sqm



FSS SYSTEM

Motor and spring tension system

Maximum width for single breadth: 2.5m

Maximum extension length for single
breadth: 6m

Maximum size: 50sqm





MOTORISED ROOF SUNSHADE SERIES

FCS SYSTEM

Folding roof sunshade system

(Tubular motor)

Maximum width for single
breadth: 3.5m

Maximum extension length for
single breadth: 12m



PTS SYSTEM

Outside roof sunshade system

(Tubular motor)

Maximum width for single
breadth: 5m

Maximum extension length for
single breadth: 6m






ALUMINIUM WATERPROOF VENTILATION BLIND


Aluminium blind with strong fire resistant, water proof capabilities.

SLAT SIZE IS OPTIONAL

- Block out direct sunlight and allow natural light IN
- Ultra-violet ray-resistant, on discoloration
- Wear-resistant
- Strong fire-resistant, water proof capability
- Corrosion resistant
- Anti-humidity
- Available in many designs for ease of selection
- Linear designs visible giving it a deluxe look
- Environmental-friendly. doesn't give out harmful gases by itself
- Light weight. easy installation
- Durable and recyclable
- Naturally ventilating
- Coating: PVDF, PE. or anodized aluminium
- Standard slat size: 125mm (other sizes are optional)



Motorised aluminium blind



Manual aluminium blind (open to 45°)

Contact Us

Plot # 14 - Sector 23, Korangi Industrial Area, Karachi, P.O. 74900 Pakistan
Tel: (+92 21)-35121277-35121278 Email: info@metaleditions.com



ALUMINIUM WING BLIND

The Aluminium wing Blinds are not only functional and durable but also have a beautiful design to cover your building. The aluminium wing blinds can be manufactured as per the custom designs of Architects and designers, with wide variety of colors and shades.

Blade Rotation: The blades are driven by the electronic motor, manual device or fixing blind. The turning angle of the blade can be adjusted freely between 0° - 109° .

Characteristics: Outstanding heat and light control, energy saving. Optimal shading performance and indoor privacy.




HORIZONTAL BLADES VERSION




VERTICAL BLADES VERSION




SLIDING ROOF VERSION



Manual aluminium wing blind



Motorised aluminium wing blind



Fixing aluminium wing blind

Contact Us

Plot # 14 - Sector 23, Korangi Industrial Area, Karachi, P.O. 74900 Pakistan
Tel: (+92 21)-35121277-35121278 Email: info@metaleditions.com